

FAIRBANKS[®]

S C A L E S



ENHANCED IN/OUT

APPLICATION FOR FB4000 INSTRUMENTS

Enjoy the freedom to weigh commercial trucks using an easy-to-operate application that runs on a Windows[®] OS that's compatible with most Windows[®] devices.

ENHANCED IN/OUT

APPLICATION FOR FB4000 INSTRUMENTS

ENHANCED IN/OUT WEIGHING OFFERS SEAMLESS DATA PROCESSES

Inbound/Outbound weighing is the most common use for truck scales worldwide. Countless businesses buy or sell goods by the truckload and document these transactions by capturing the weight of trucks as they enter and exit a facility, to drop off or pick up a load.

While all Fairbanks truck scale Instruments offer Inbound/ Outbound truck processing software, the Enhanced In/Out Application for the

FB4000 is unique because it runs on a Windows® operating system. Its OS functionality offers numerous advantages including:

- FB4000 serves as both scale instrument and data collection device
- Easily connects to Windows® compatible devices
- Quickly and easily connects to existing PC networks

Capture image on screen,
in your database and on the scale ticket

Large touch screen buttons

SCREEN SAMPLES

Up to two cameras can be interfaced with this system



Automated visual images help operators process weighments

71920 lb	Scale 1	
00 lb	Scale 2	>0<
00 lb	Scale 3	>0<

Scale 1
71920 lb GROSS

zero units

EXIT F1 VIDEO OFF F2 EXPAND VIDEO (Standard Mode) Tuesday 12:13 pm 09/26/2017

Enhanced In/Out multiple scale weigh screen with traffic light and camera image

System Options

Assign Ticket Formats to Customers

Printer Selection: Number Of Copies Of Tickets: 1

Prompt To Reprint After Print

ASCR Directory: Save Data in Tickets.DAT

Hide Screen Cursor

Enable Data Collection Application

Enable Error Logging Application

Enable Traffic Control Interface Application

System Options screen

Scale 1
62260 lb GROSS

zero units

(Standard Mode) Friday 03:41 pm 08/04/2017

Weigh screen with traffic light

FAIRBANKS SCALES

00 lb	Scale 1	>0<
00 lb	Scale 2	>0<
00 lb	Scale 3	>0<
00 lb	Scale 1	>0<

zero units

(Standard Mode) Tuesday 04:43 pm 09/26/2017

Idle screen with custom logo

EXCEPTIONAL GRAPHICS, EASY TO USE TOUCH SCREEN INTERFACE

The Enhanced In/Out Application offers easy-to-follow graphics that make the commercial truck weighing process a breeze for operators.

System operation is further enhanced by the FB4000's touch screen interface. This standard feature makes system operation as easy as using an ATM.



FAIRBANKS.COM


10 WAYS ENHANCED IN/OUT OUTPERFORMS ITS COMPETITION

ENHANCED IN/OUT APPLICATION ADVANTAGES

- Can be configured for Gross/Tare/Net Transactions with stored tares.
- Advanced reporting options (see below for details).
- Backup / restore function protects valuable transaction data.
- Blind counter records all activity that doesn't result in a printed report.
- System can be configured to create a text file of the information.
- Optional camera captures visual image of vehicle on scale.
- Void ticket function allows operator to search by ticket number.
- On screen traffic light status and control.
- Network terminal setup.
- Formattable tickets.

FB4000 SERIES INSTRUMENT ADVANTAGES

- Unsurpassed data collection capabilities
- Unsurpassed data storage capabilities
- Multiple communication options
- Built-in error reporting
- Ethernet connectivity
- Email functions
- IP Camera interface
- Touch screen operation



Touch screen traffic light controls

Enhanced In/Out processing screen

Optional product and/or customer tracking function

Up to 10 general programmable data fields

Easy-to-read Gross/Tare/Net weight

COMPLETED TRANSACTIONS REPORT							
TICKET	TIME	DATE	NET	EEC	PRODUCT ID	CUSTOMER ID	
000314	01:07 pm	4/29/2008	77,240 LB	7.00	2012		67
000315	01:12 pm	4/29/2008	77,240 LB	7.00	2012		67
000316	01:21 pm	4/29/2008	44,960 LB	7.00	1492		69
000317	01:23 pm	4/29/2008	61,630 LB	7.00	1492		67
000318	01:34 pm	4/29/2008	80,220 LB	7.00	2012		69
000319	01:25 pm	4/29/2008	107,760 LB	10.00	1492		69
Total Count:			6	429,040 LB	48.00		

Completed Transactions Report sample screen.

REPORTING OPTIONS

The Enhanced In/Out Application has the ability to display and print reports that show a variety of weighing information. There are eight distinct reports to choose from:

- Completed transactions
- Incomplete transactions
- Report by product
- Report by customer
- Daily report
- Weekly report
- Void report
- Scale activity summary audit

ENHANCED IN/OUT

APPLICATION FOR FB4000 INSTRUMENTS

Weighing Solutions for the World Since 1830

Fairbanks.com

ENHANCED IN/OUT SPECIFICATIONS


- Number of weighing platforms Up to 8, depending on the scale interface(s) used
- Reports Scale activity summary audit
Completed transactions
Daily transactions
Weekly transactions
Incomplete transactions
Voided transactions
Transactions by customer
Transactions by product
- Error reporting Automatic alerts sent to multiple email accounts during an error event
- Automated images During the weighing process a graphic image of the vehicle and active scale platforms is displayed on the weigh screen
- Traffic controls Automatic or manual operator selectable
- Simultaneous weight display All individual scale platform weights are displayed simultaneously, giving the operator the ability to choose between active scale platforms
- Accessories Ethernet video camera, traffic light

INSTRUMENT SPECIFICATIONS

- Model FB4000 Series Instrument with preinstalled Inbound/Outbound App
- Display 10.4" Color SVGA - 600 x 800
- Memory 4 GB RAM
- Processor Dual core, 1.86 GHz
- Storage 32 GB CFast drive
- Enclosure Stainless steel, powder coated, NEMA 12
- Device platform Windows® 8.1 embedded
- Outputs 4 USB 2.0 ports
2 RS232 Serial ports
1 RS232/485 selectable port
1 RJ45 port for network connection
1 HDMI port
10/100/1000 Mbps Ethernet controller
- Power requirements 100 to 130 VAC or
200 to 260 VAC; 50/60 Hz ± -2 Hz
- Touch Screen interface Standard
- Load cell interface options Analog and/or Intalogix
- Clock Real time clock, day of the week, 12-hour AM/PM, date month/day/year
- Display resolution 10,000 divisions commercial
50,000 divisions for non-commercial
- Capacity Programmable to 999,999
- Displayed units 7 primary and 7 secondary
- Humidity 0 to 100%
- Accuracy Class III/IIIL
- Number of weighing platforms Up to 8, depending on the scale interface(s) used
- Approvals NTEP CC# 15-064
MC# AM-5997

FB4000 SERIES INSTRUMENT DIMENSIONS

Desktop Model



Your Fairbanks Scales Authorized Representative is:

Call toll-free for the representative nearest you:

(800) 451-4107

Call between 8:00 a.m. – 5:00 p.m. Central Time

Corporate Offices: 821 Locust • Kansas City, MO 64106 • (816) 471-0231

Internet Address: <http://www.Fairbanks.com>

